SHEET 1 OF 6

SUBSTITUTE FOR FORM IPC/SB/CONTENTINO ATTY DOCKET NO: BOCK=9 US							
	OCUME	ISCLOSURE STATEMEN' ENTS CITED BY	FIRST INVENT	OR: Elisabeth BOCK, et a	l.		
			FILING DATE:	March 30, 2006			
	<u>, ,</u>		EXAMINER:		ART UNIT:		
FOREIGN	PATEN	T DOCUMENTS (include	at least document n	umber, publication date a	nd country)		
EXAM. INITIAL	ID	COUNTRY CODE & DOCUMENT NUMBER	PUBLICATION DATE MM-DD-YYYY	PATENTEE OR APPLICATION	Relevant Passage(s)	T [*]	
	AA	WO 00/18801	April 6, 2000	RØNN, L.C.B., et al.		E	
			itle, name of publica	tion, volume, pages & dat	e of publication) Ple	ase	
iist in aipi	AB	Atkins, A.R., Osborne, M.J., Lashuel, H.A., Edelman, G.M., Wright, P.E., Cunningham, B.A., and Dyson, H.J. (1999). "Association between the first two immunoglobulin-like domains of the neural cell adhesion molecule N-CAM". FEBS Lett. <i>451</i> , 162-168.					
	AC	 Dyson, H.J. (2001). "Solution structure of the third immunoglobulin domain of the neural cell adhesic molecule N-CAM: can solution studies define the mechanism of homophilic binding"? J. Mol. Biol. 31 161-172. Becker, J.W., Erickson, H.P., Hoffman, S., Cunningham, B.A., and Edelman, G.M. (1989). "Topology cell adhesion molecules". Proc. Natl. Acad. Sci. USA 86, 1088-1092. Berezin, V., Bock, E., and Poulsen, F.M. (2000). "The neural cell adhesion molecule". Curr. Opin. Dru Discovery Dev. 3, 605-609. Bork, P., Downing, A.K., Kieffer, B., and Campbell, I.D. (1996). "Structure and distribution of modules extracellular proteins". Q. Rev. Biophys. 29, 119-167. Brieher, W.M., Yap, A.S., and Gumbiner, B.M. (1996). Lateral dimerization is required for the homophil binding activity of C-cadherin. J Cell Biol. 135, 487-496. Brünger, A.T., Adams, P.A., Clore, G.M., DeLano, W.L., Gros, P., Grosse-Kunstleve, R.W., Jiang, J. S., Kuszewski, J., Nilges, M., Pannu, N.S., Read, R.J., Rice, L.M., Simonson, T., and Warren, G.L. (1998). "Crystallography & NMR system: A new software suite for macromolecular structure determination". Acta Cryst. D54, 905-921 					
	AD						
	AE						
	AF						
	AG						
	АН						
	AI						
	AJ	Chothia, C., and Jones, I Biochem. 66, 823-862.	E.Y. (1997). "The mole	ecular structure of cell adhe	sion molecules". Annu	ı. Rev.	
				T			
EXAMINE	R	· · · · · · · · · · · · · · · · · · ·		DATE CONSIDERED	• • • • • • • • • • • • • • • • • • • •		

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.

SHEET 2 OF 6

SUBSTITU	TE FO	R FORM IPC/SETENTATE TRANSPORT	ATTY DOCKET N	IO: BOCK=9	SERIAL NO: US 10/574,084	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT			R: Elisabeth BOCK, et al.			
			FILING DATE: Ma	arch 30, 2006		
			EXAMINER:		ART UNIT:	
OTHER DO			, name of publicati	on, volume, pages & date of	publication) Please	
	AK	Cole, G.J., and Akeson, R. (adhesion molecule N-CAM (n of a heparin binding domain dides". Neuron 2, 1157-1165.	of the neural cell	
	AL	Collaborative Computationa Crystallography". Acta Cryst	l Project, number 4. <i>D50</i> , 760-763.	(1994). "The CCP4 Suite: Pro	grams for Protein	
	АМ	Covault, J., and Sanes, J.R. (1985)." Neural cell adhesion molecule (NCAM) accumulates in denervated and paralyzed skeletal muscles". Proc. Natl. Acad. Sci. USA 82, 4544-4548.				
	AN	Conte, L.L., Chothia, C., and Janin, J. (1999). "The atomic structure of protein-protein recognition sites". J. Mol. Biol. 285, 2177-98.				
	AO	Cremer, H., Lange, R., Christoph, A., Plomann, M., Vopper, G., Roes, J., Brown, R., Baldwin, S., Kraemer, P., Scheff, S., Barthels, D., Rajewsky, K., and Wille, W. (1994). "Inactivation of the N-CAM gene in mice results in size reduction of the olfactory bulb and deficits in spatial learning". Nature 367, 455-459.				
	AP	Cunningham, B.A., Hemperly, J.J., Murray, B.A., Prediger, E.A., Brackenbury, R., and Edelman, G.M. (1987). "Neural cell adhesion molecule: Structure, immunoglobulin-like domains, cell surface modulation, and alternative RNA splicing". Science 236, 799-806.				
	AQ	Drejer J. and Schousboe A. (1989) "Selection of a pure cerebellar granule cell culture by kainate treatment". Neurochem Res. 14:751-4				
	AR	Edelman, G.M., and Crossin, K.L. (1991). "Cell adhesion molecules: implications for a molecular histology". Annu. Rev. Biochem. <i>60</i> , 155-190.				
	AS	Eksterowicz JE, Evensen E, Lemmen C, Brady GP, Lanctot JK, Bradley EK, Saiah E, Robinson LA, Grootenhuis PD, Blaney JM. (2002) "Coupling structure-based design with combinatorial chemistry: application of active site derived pharmacophores with informative library design". J Mol Graph Model. 20, 469-77.				
	АТ	Flocco, M.M., and Mowbray, S.L. (1994). "Planar stacking interactions of arginine and aromatic sidechains in proteins". J. Mol. Biol. 235, 709-717.				
	AU	Freigang, J., Proba, K., Leder, L., Diederichs, K., Sonderegger, P., and Welte, W. (2000). "The crystal structure of the ligand binding module of axonin-1/TAG-1 suggests a zipper mechanism for neural cell adhesion". Cell 101, 425-433.				
	AV		Gunning, P., Leavitt, J., Muscat, G., Ng, S.Y., and Kedes, L. (1987). "A human beta-actin expression vector system directs high-level accumulation of antisense transcripts". Proc. Natl. Acad. USA. 84, 4831-4835.			
EXAMINER				DATE CONSIDERED		
EXAMINER: Initial if reference considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant						

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.

SHEET 3 OF 6

SUBSTITU	TE FOI	R FORM IPC/SEOS TRADELLE	ATTY DOCKET N	IO: BOCK=9	SERIAL NO: US 10/574,084	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		FIRST INVENTOR: Elisabeth BOCK, et al.				
			FILING DATE: March 30, 2006			
			EXAMINER:		ART UNIT:	
OTHER DC		•	, name of publicati	on, volume, pages & date of	publication) Please	
	AW	Hall, A.K., and Rutishauser, microscopy". J. Cell Biol. 10		ation of neural cell adhesion m	olecule by electron	
	AX	Hunter, I., Sawa, H., Edlund, M., and Öbrink, B. (1996). "Evidence for regulated dimerization of cell-cell adhesion molecule (C-CAM) in epithelial cells". Biochem. J. 320, 847-853.				
	AY	Janin, J. (1997). "Specific versus non-specific contacts in protein crystals". Nature Struct. Biol. <i>4</i> , 973-974.				
	AZ	Jensen, P.H., Soroka, V., Thomsen, N.K., Ralets, I., Berezin, V., Bock, E., and Poulsen, F.M. (1999). "Structure and interactions of NCAM modules 1 and 2 - basic elements in neural cell adhesion". Nature Struct. Biol. <i>6</i> , 486-493.				
	ВА	Jones, T.A., Zou, J.Y., Cowan, S.W., and Kjeldgaard, M. (1991)."Improved methods for building protein models in electron density maps and the location of errors in these models". Acta Crystallogr. <i>A47</i> , 110-119.				
	вв	Jones, E.Y., Davis, S.J., Williams, A.F., Harlos, K., and Stuart, D.I. (1992). "Crystal structure at 2.8 A resolution of a soluble form of the cell adhesion molecule CD2". Nature 360, 232-239.				
	вс	Jones, S., and Thornton, J.M. (1996). "Principles of protein-protein interactions". Proc. Natl. Acad. Sci. USA 93, 13-20.				
	BD	Jørgensen, O.S., and Bock, E. (1974). "Brain-specific synaptosomal membrane proteins demonstrated by crossed immunoelectrophoresis". J. Neurochem. 23, 879-880.				
	BE	Kallapur, S.G., and Akeson, R.A. (1992). "The neural cell adhesion molecule (NCAM) heparin binding domain binds to cell surface heparan sulfate proteoglycans". J. Neurosci. Res. 33, 538-548.				
	BF	Kasper, C., Stahlhut, M., Berezin, V., Maar, T.E., Edvardsen, K., Kiselyov, V.V., Soroka, V., and Bock, E. (1996)." Functional characterization of NCAM fibronectin type III domains: demonstration of modulatory effects of the proline-rich sequence encoded by alternatively spliced exons a and AAG". J. Neurosci. Res. 46, 173-186.				
	BG	Kasper, C., Rasmussen, H., Kastrup, J.S., Ikemizu, S., Jones, E.Y., Berezin, V., Bock, E., and Larsen, I.K. (2000). "Structural basis of cell-cell adhesion by NCAM". Nature Struct. Biol. 7, 389-393.				
	вн	Kiselyov, V.V., Berezin, V., Maar, T., Soroka, V., Edvardsen, K., Schousboe, A., and Bock, E. (1997). "The first Immunoglobulin-like NCAM domain is involved in both double reciprocal interaction with the second Immunoglobulin-like NCAM domain and in heparin binding". J.Biol.Chem. 272, 10125-10134.				
EXAMINER				DATE CONSIDERED		
		I if reference considered. Dra vith next communication to app		on if not in conformance <u>and</u> no	ot considered. Include	

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.

SHEET 4 OF 6

SUBSTITU	TE FO	R FORM IPC/SE/08	ATTY DOCKET N	O: BOCK=9	SERIAL NO: US 10/574,084	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		FIRST INVENTOR: Elisabeth BOCK, et al.				
			FILING DATE: March 30, 2006			
			EXAMINER:		ART UNIT:	
OTHER DO		•	, name of publicati	on, volume, pages & date of	publication) Please	
	ВІ		Γ.A. (1996). "Phi/psi-chology: Ramachandran revisited". Structure <i>4</i> ,			
	BJ	Kolkova, K., Novitskaya, V., Pedersen, N., Berezin, V., and Bock, E. (2000). "Neural cell adhesion molecule-stimulated neurite outgrowth depends on activation of protein kinase C and the Rasmitogen-activated protein kinase pathway". J. Neurosci. 20, 2238-2246.				
	вк	Kostrewa, D., Brockhaus, M., D'Arcy, A., Dale, G.E., Nelboeck, P., Schmid, G., Mueller, F., Bazzoni, G., Dejana, E., Bartfai, T., Winkler, F.K., and Hennig, M. (2001). "X-ray structure of junctional adhesion molecule: structural basis for homophilic adhesion via a novel dimerization motif". EMBO J. 20, 4391-4398.				
	BL	Kraulis, P.J. (1991). "MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures". J. Appl. Cryst. <i>24</i> , 946-950.				
	вм	Kristiansen, L.V., Marques, F.A., Soroka, V., Rønn, L.C., Kiselyov, V., Pedersen, N., Berezin, V., and Bock E. (1999). "Homophilic NCAM interactions interfere with L1 stimulated neurite outgrowth". FEBS Lett. <i>464</i> , 30-34.				
	BN	Leahy, D.J., Aukhil, I., and Erickson, H.P. (1996)." 2.0 A crystal structure of a four-domain segment of human fibronectin encompassing the RGD loop and synergy region". Cell 84, 155-164.				
	во	Laskowski, R.A., MacArthur, M.W., Moss, D.S., and Thornton, J.M. (1993). "PROCHECK: a program to check the stereochemical quality of protein structures". J. Appl. Cryst. 26, 283-291.				
	ВР	Merritt, E.A. and Bacon, D.J. (1997). "Raster3D Photorealistic Molecular Graphics". Methods Enzymol. 277, 505-524.				
	BQ	Milev, P., Friedlander, D.R., Sakurai, T., Karthikeyan, L., Flad, M., Margolis, R.K., Grummet, M., and Margolis, R.U. (1994). "Interactions of the chondroitin sulfate proteoglican phosphacan, the extracellular domain of a receptor-type protein tyrosine phosphatase, with neurons, glia, and neural cell adhesion molecules". J. Cell Biol. 127, 1703-1715.				
	BR	Miyahara, M., Nakanishi, H., Takahashi, K., Satoh-Horikawa, K., Tachibana, K., and Takai, Y. (2000). "Interaction of nectin with afadin is necessary for its clustering at cell-cell contact sites but not for its cis dimerization or trans interactions". J. Biol. Chem. 275, 613-618.				
	BS	Muller, D., Wang, C., Skibo, G., Toni, N., Cremer, H., Calaora, V., Rougon, G., and Kiss, J.Z. (1996). "PSA-NCAM is required for activity-induced synaptic plasticity". Neuron 3, 413-422.				
	вт	Navaza, J., and Saludjian, P. (1997). "AmoRe: An automated molecular replacement program package". Methods Enzymol. <i>276</i> , 581-594.				
EXAMINER			DATE CONSIDERED			
		l if reference considered. Dra ith next communication to app		on if not in conformance <u>and</u> no	ot considered. Include	

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.

SUBSTITUTE FOR FORM IPCISB/08			ATTY DOCKET N	IO: BOCK=9	SERIAL NO: US 10/574,084	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT			R: Elisabeth BOCK, et al.			
			FILING DATE: Ma	arch 30, 2006		
	<u> </u>		EXAMINER:		ART UNIT:	
OTHER DO		•	, name of publicati	on, volume, pages & date of	publication) Please	
	BU	Nybroe, O., Moran, N., and I	Bock, E. (1989). "Equilibrium binding analysis of neural cell adhesion . J. Neurochem. <i>52</i> , 1947-1949.			
	в٧	Otwinowski, Z., and Minor, V mode". Methods Enzymol. 2		ing of X-ray diffraction data col	lected in oscillation	
	BW	Perrakis, A., Morris, R., and Lamzin, V.S. (1999). "Automated protein model building combined with iterative structure refinement". Nature Struct. Biol. 6, 458-463.				
	вх	Probstmeier, R., Kuhn, K., and Schachner, M. (1989). "Binding properties of the neural cell adhesion molecule to different components of the extracellular matrix". J. Neurochem. 53, 1794-1801.				
	BY	Ranheim, T.S., Edelman, G.M., and Cunningham, B.A. (1996). "Homophilic adhesion mediated by the neural cell adhesion molecule involves multiple immumoglobulin domains". Proc. Natl. Acad. Sci. USA. 93, 4071-4075.				
	BZ	Rao, Y., Wu, X-F., Gariepy J., Rutishauser, Urs., and Siu, C-H. (1992). "Identification of a peptide sequence involved in homophilic binding in the neural cell adhesion molecule NCAM". J. Cell Biol. 118, 937-949.				
	CA	Rao, Y., Zhao, X., and Siu, C.H. (1994). "Mechanisms of homophilic binding mediated by the neural cell adhesion molecule NCAM. Evidence for isologous interaction". J. Biol. Chem. 269, 27540-275448.				
	СВ	Rønn, L.C., Ralets, I., Hartz, B.P., Bech, M., Berezin, A., Berezin, V., Moller, A., and Bock, E. (2000). "A simple procedure for quantification of neurite outgrowth based on stereological principles". J. Neurosci. Meth. 100, 25-32.				
	СС	Sandig, M., Rao, Y., and Siu, C-H. (1994). "The homophilic binding site of the neural cell adhesion molecule NCAM is directly involved in promoting neurite outgrowth from cultured neural retinal cells". J. Biol. Chem. 269, 14841-14848.				
	CD	Shapiro, L., Fannon, A.M., Kwong, P.D., Thompson, A., Lehmann, M.S., Grubel, G., Legrand, J-F., Als-Nielsen, J., Colman, D.R., and Hendrickson, W.A. (1995). "Structural basis of cell-cell adhesion by cadherins. Nature <i>374</i> , 327-337.				
	CE	Soroka, V., Kiryushko, D., Novitskaya, V., Rønn, L.C., Poulsen, F.M., Holm, A., Bock, E., and Berezin, V. (2002). Induction of neuronal differentiation by a peptide corresponding to the homophilic binding site of the second Ig module of NCAM". J. Biol. Chem. 227, 24676-24683.				
	CF	Su, X-D., Gastinel, L.N., Vaughn, D.E., Faye, I., Poon, P. and Bjorkman P.J. (1998). "Crystal structure of hemolin: A horseshoe shape with implications for homophilic adhesion". Science <i>281</i> , 991-995.				
EXAMINER				DATE CONSIDERED		
		if reference considered. Drawith next communication to app		on if not in conformance <u>and</u> no	ot considered. Include	

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.

SHEET 6 OF 6

SUBSTITU	TE FO	R FORM IPC/SB/08/LN 03	ANTY DOCKET I	NO: BOCK=9	SERIAL NO: US 10/574,084		
INFORMAT LIST OF DO APPLICAN	OCUME	SCLOSURE STATEMENT OF ENTS CITED BY	FIRST INVENTO	R: Elisabeth BOCK, et al.			
			FILING DATE: M	larch 30, 2006			
			EXAMINER:		ART UNIT:		
OTHER DO		NTS (include AUTHOR, title, la order.	name of publication	on, volume, pages & date of	publication) Please		
	Tomasiewicz, H., Ono, K., Yee, D., Thompson, C., Goridis, C., Rutishauser, U., and Magnuson, T. (1993). "Genetic deletion of a neural cell adhesion molecule variant (NCAM-180) produces defects in the central nervous system". Neuron 11, 1163-1174.						
	СН	Thomsen, N.K., Soroka, V., Jensen, P.H., Berezin, V., Bock, E., and Poulsen, F.M. (1996). "The three-dimensional structure of the first domain of neural cell adhesion molecule". Nature Struct. Biol. 3, 581-585.					
	СІ	Wu, Y.Y., and Bradshaw, R.A. (1995). "PC12-E2 cells: a stable variant with altered responses to growth factor stimulation". J. Cell. Physiol. <i>164</i> , 522-532.					
	CJ	Wu, H., Kwong, P.D., and Hendrickson, W.A. (1997). "Dimeric association and segmental variability in the structure of human CD4". Nature 387, 527-530.					
	СК	Kasper, C., et al. "Extracellular modules of the cell adhesion molecules NCAM and L1", Database http://www-online!2002 , XP002315066, retrieved from HTTP://WWW-HASYLAB.DESY.DE/SCIENCE/ANNUAL REPORTS/2002 REPORT/PART2/CONTRIB/72/7824.					
	CL	Huang, Z., et al. "Immunoglobulin Superfamily Proteins; Structure, Mechanisms, and Drug					
	СМ	Rønn, L.C.B., et al. "Identification of a neuritogenic ligand of the neural cell adhesion molecule using a combinatorial library of synthetic peptides" Nature Biotechnology, Vol. 17, October 1999, 1000-1005.					
	CN	Soroka, V., et al. "Structure and Interactions of NCAM Ig1-2-3 suggest a Novel Zipper Mechanism for					
	со	TAKEDA, et al. "E-Cadherin functions as a cis-dimer at the cell-cell adhesive interface in vivo"; Nature Structural Biology; Volume 6, Number 4, April 1999					
EXAMINER				DATE CONSIDERED			
		I if reference considered. Drawith next communication to appl		on if not in conformance <u>and</u> no	ot considered. Include		

^{* &}quot;Relevant Passages" column is optional. Put check in "T" column if English translation of entire document included. If English language abstract included, put A in this box. If ref. in English, put "E". If requirement otherwise met, put O.